


vindows & doors




# Energy Efficiency




Ease of Operation+ Ownership STANDARD SIZES










CUSTOM SIZES two panel widths - 36" to 95 ½" three panel widths - 95" to 142 ⅔" max height - 84"

## Side Lites STANDARD SIZES



CUSTOM SIZES width 1'6" to 4'1" max height - 84"

## **FEATURES**

Foot operated dead bolt provides an extra lock point for secure partial opening.

Fusion-welding at door panel corners transforms four vinyl extrusions into a strong, one-piece door.

Vinyl-Wrapped Threshold/Sill is more thermally efficient.

Safety Glass.

Mortised hook lock with double or triple hook option.




Smooth gliding, solid-steel, zincplated tandem rollers. Iridium coating on exposed parts enhances corrosion resistance.

## **OPEN & SHUT**

How would you like your door to open as viewed from outside? Two panel left or right panel glides Three panel center panel glides left or right

#### **INTERNAL MINI BLINDS\*** dust free, kid and pet safe



## **ENERGYSMART<sup>®</sup> GLASS**

Standard EnergySMART<sup>®</sup> SUPREME<sup>2</sup> glass features the Intercept® U-shaped steel spacer system and Argon gas fill between panes. Temperature transfer and condensation are reduced. EnergySMART upgrades offer stronger resistance to temperature transfer.

Ask about ENERGY STAR gualified doors.

**MULTI-POINT LOCK SECURITY\*** 

Steel hooks lock at three points.



ULTRAWELD

Threshold

## **EXTERIOR PAINT\* 20 YEAR WARRANTY** AGAINST FADING, PEELING OR BLISTERING

Unique, high-performance exterior coating specially formulated for PVC Crack & impact resistant • Touch-up paint included • Lead time 4-6 weeks • AAMA testing ensures that coating resists strong solvents, heat gain and thermal shock.

‡ Muntin color may be affected by glass coatings, such as Low-E.

# **PERFECT PATIO DOOR**

Our R&D department is vigilant in testing and updating designs and components. The vinyl formulation retains its smooth surface and color. Vinyl does not transfer cold from outside to inside. WarrantyYour pristine Polaris<sup>®</sup> patio door will be energy efficient and maintenance free for a lifetime.

# **TRIPLE PANE PATIO DOOR**

The following sizes are available in triple pane: 5', 6', and 9'. No custom sizes offered.

# **FEATURES + BENEFITS**


Vertical door panel extrusions are reinforced with aluminum. Door panels meet with Over and Under Interlock and feature double weather-stripping.

Vinyl-Wrapped Threshold/Sill More thermally efficient.



MORTISED HOOK LOCKS

## **STAINLESS INTERCEPT SPACER\***








 $L\,ife\,t\,i\,m\,e$ 

 $i\,m\,i\,t\,e\,d$ 



UltraWeld\* & energySMART\* are registered trademark of Polaris\*Windows and Doors, OH, USA, 2020. All other trademarks are the property of their respective owners. Stock Photography is used in this brochure. These photographs are not exact replicas of Polaris\*Windows & Doors products.